

Print Form



Lucas County Information Services Checklist for Hardware/Software/Services

Department: Real Estat	te	Req	uestor: Miranda	a Jarouche		
Funding Account & Description	int &		Req. Date: July 15, 2015 Type of Request (check all that apply):			
Vondor: MTBT			⋉ HW⋉ SW⋉ Services/New⋉ Purchase⋉ Lease Subscription			
── State Term Contract ID 800310			Services/Support Renewal Original Purchase Date			
Description or Nature of Request and for whom this is intended:	Real Estate is requesting to purchas	e a MP 301SPF MFP. T	he printer will be used	at road shows.		
Hdw/SW/Service Item	Descr Quote #	Wrnty Term Q	y Unit Cost	Support Cost Total Co	ost	
Ricoh MP301SPF	email		\$ 1,300.00	\$ 0.00 \$ 1,300.00		
		0	\$ 0.00	\$ 0.00	!	
		0	\$ 0.00	\$ 0.00		
		0	\$ 0.00	\$ 0.00		
		0	\$ 0.00	\$ 0.00 \$ 0.00	:	
		0	\$ 0.00	\$ 0.00		
		0	\$ 0.00	\$ 0.00	i	
		0	\$ 0.00	\$ 0.00 \$ 0.00		
		0	\$ 0.00	\$ 0.00 \$ 0.00		
		0	\$ 0.00	\$ 0.00 \$ 0.00		
		0	\$ 0.00	\$ 0.00 \$ 0.00	:	

Total Request \$ 1,300.00

Lucas County Information Services Checklist for Hardware/Software/Services Page 2

Planned Location: Other	If Other please specify:	:
Network Connection Required?	┌─Yes ⋉ No ┌─N/A	
LCIS installation assistance needed?	⊠ Yes	
LCIS on-going support required?	⊠ Yes □ No □ N/A	
ITB or RFP completed?	├ Yes ├ No ├ N/A	
LCIS Management review completed?	⊠ Yes	xclusior
DP Board Approved?	☐ Yes ☐ No Less than \$7,500	xclusior
DP Board Date of Approval:	ı	
Business Reason or Justification:		
Printer/Copier is required for road shows.		
Comments:		
Reviewed and prepared by Jeremy Burnat. Reviewed and approved by Jason Gears.		
Approver Name JASON GRASS LCIS Approver Signature	Jan L Date 7-15-15	

Miranda Jarouche - RE: Quote for portable copy machine

From:

Shawn Brown <SBrown@mtbt.com>

To:

'Miranda Jarouche' <mjarouche@co.lucas.oh.us>

Date:

7/9/2015 3:47 PM

Subject:

RE: Quote for portable copy machine

Attachments: MP 301SPF.pdf; MP 201.pdf

Ok, so we have two options:

The Ricoh MP301spf (NEW) – 31 page per minute copier, printer, scanner and fax

Purchase Price: \$1300 each

Service includes all parts toner and labor would be \$250/annually 10,00 pages included.

The Ricoh MP201SPF (USED)- 21 page per minute copier, printer, scanner and fax

Purchase Price \$1,000 each

Service includes all parts toner and labor would be \$287.50/ annually 10,000 pages included.

I have attached brochures for both. Let me know your thoughts.

Thanks,

Shawn Brown Major Account Manager MT Business Technologies, Inc. 888-975-6828 | 419-865-7001 x 5013 | cell: 419-343-5884 1205 Corporate Drive, Holland, Ohio 43528 | www.mtbt.com

From: Miranda Jarouche [mjarouche@co.lucas.oh.us]

Sent: Thursday, July 09, 2015 3:42 PM

To: Shawn Brown

Subject: RE: Quote for portable copy machine

I don't think that it matters if its new or used would there be some type of warranty with either, but if price is close that would matter also. Desktop is ok. We just request the feeder. These will be used for our upcoming roadshows so we need them to efficient because there will be multiple users and so citizens don't have to wait long.

Thank you, Miranda

>>> Shawn Brown <<u>SBrown@mtbt.com</u>> 7/9/2015 3:37 PM >>>

So are you thinking of desktop devices?

Do you want new or is used ok?

Shawn Brown Major Account Manager
MT Business Technologies, Inc.
888-975-6828 | 419-865-7001 x 5013 | cell: 419-343-5884
1205 Corporate Drive, Holland, Ohio 43528 | www.mtbt.com

From: Miranda Jarouche [mailto:mjarouche@co.lucas.oh.us]

Sent: Thursday, July 09, 2015 3:37 PM

To: Shawn Brown Cc: Matthew Thal

Subject: Quote for portable copy machine


Good Afternoon Shawn-

Can you please provide me a quote for 2 portable copy machines. We would like to still have the try feeder at the top for multiple pages. If I could get this quote ASAP I would really appreciate it. Please let me know if there is any additional information you need for this request.

Thank you,

Miranda L. Jarouche
Purchasing/BOR Director
Anita Lopez, Lucas County Auditor
419-213-4424

E-mail: mjarouche@co.lucas.oh.us






Affordable, productive multitasking at your convenience

Ralse your expectations — and improve your productivity. The RICOH® Aficio® MP 301SPF offers advanced capabilities to streamline workflow and reduce total cost of ownership. Use it to produce fast, black-and-white output, share electronic documents, protect sensitive information and optimize IT resources cost-effectively. With its unique combination of powerful, reliable performance and intuitive management in a compact design, it offers incredible value as the primary multifunction device in an office or as part of an integrated Ricoh Managed Document Services (MDS) strategy throughout the enterprise. Expect the MP 301SPF to exceed your low-volume, desktop multifunctional product demands without compromising space or the budget.


Choose your own efficiency

Loaded with customizable features in a sleek, desktop design, the MP 301SPF makes everyday tasks more accessible. The tiltable, 4.3" color touch-panel display and an optional external keyboard enable users to defity manage every job with ease. Four frequently used functions are available directly from the Home Screen, so users can select specific workflows quickly to save steps and help maximize productivity. In addition, users can return to the Home Screen at any time with simple, one-touch operation.




Perform any task, anywhere


Move mobile users forward, while improving workflow, with innovative electronic media capabilities. Users can insert a USB memory or SD card into a slot on the MFP control panel to preview and print output remotely, without a PC. Users can also work from a mobile device, such as a smart phone or tablet, to locate the MFP quickly and print output without the use of utilities, software or drivers.



Discover the power of versatility

The MP 301SPF enables users to handle a wide range of demanding tasks with ease. It generates up to 31 pages per minute for outstanding throughput. Storage capacity can be expanded to 1,350 paper sheets to support longer, uninterrupted runs. Its 8" x 14" platen is perfect for copying, scanning and faxing oversized documents, including booklets, catalogs and other media. In addition, when the optional hard drive is installed the Document Server offers convenient access for up to 3,000 frequently-used documents,






A sleek, compact MFP streamlined for the desktop—and your workflow


Sustainable savings and productivity

Backed by Ricoh's long-standing commitment to energy- and environmentally-friendly solutions, the MP 301SPF offers a host of innovative features to reduce total cost of ownership. With the Eco-Friendly Indicator, users can check usage status for individual employees and foster more environmental awareness and responsible paper consumption. With its class leading energy efficiency, based on the low Typical Energy Consumption (TEC) value of only 1.5 kWh/week, combined with a short recovery time of less than 10 seconds from Sleep Mode, high speed duplexing and enhanced first copy out time, the system provides a quicker availability and saves more energy.




Sophisticated scanning and faxing

Capture black-and-white or full-color originals quickly and distribute them electronically for faster, more affordable communications. Users can retrieve numbers and addresses from LDAP-registered directories and eliminate costly delivery charges by sending documents instantly via Scan-to-Email/Folder/SD/USB. One-sided and two-sided originals can be scanned in a single job using Enhanced Batch Scan to boost productivity. Plus, a powerful Super G3 fax modem, IP (T.38) and Internet (T.37) faxing minimize bottlenecks while eliminating transmission costs.



Complex management tasks simplified

With exceptional compatibility and easy-to-use utilities, the MFP automates processes and optimizes workflow. Users can take advantage of Ricoh's services-led platform to integrate customized applications and software solutions to boost productivity and help reduce operating costs. Shortcuts, system and application settings and more can be exported to an SD card for installation on another MP 301. Workflows can be customized from the desktop and accessed within moments for fast walk-up operations on the most comprehensive jobs.



SYSTEM SPECIFICATIONS

Gener	al Speci	fications

Configuration Desktop Multifunctional Product (MFP) Scanning Element Flatbed with CCD array image-sensir

Printing Process Laser beam scanning/marking & electro-

photographic printing 1GB. (RAM) standard Up to 31 ppm (Letter) System Memory Output Speed (Copy/Print) First Copy Time

6 seconds or less Less than 23 seconds (from main power Recovery Time to Product Ready Mode switch on)

Less than 10 seconds (from sleep mode) 600 x 600 dpl (platen), 600 x 300 (ARDF) Copy Resolution Grayscale 256 levels Manual and automatic

Exposure Adjustment Multiple Copies Document Feeder Automatic Reversing Document Feeder

(Standard) Original Capacity Paper Sizes

Automatic Reversing Document Feeder (ARDP)
Standard Tray: 5.5 × 8.5' to 8.5' x 11'
(A4/ LT/A5/H.T)
Optional Trays: 8.5' x 11' to 8.5' x 14'
(A4/LT/LG/F05c)
Bypass Tray: 6.5' x 8.5' to 8.5' x 14'
(A4/LT/LG/F05c)
Duplax Unit: 8.5' x 11' to 8.5' x 14'
(A4/LT/LG,
Standard/Optional Trays: 16 – 24 lb. Bond
(80 – 90 q/m)

Paper Weights

Standard/Optional Treys: 16 – 24 lb. Bond (80 – 90 g/m) Bypass Tray: 16 – 42 lb. Bond (60 – 157 g/m) Duplex Unit: 20 – 24 lb. Bond (60 – 90 g/m) Up to 8.6° x 14° Standard: 250 sheets + 100-Sheet

Input Capacity Bypass Tray
Optional: 500 sheets x 1 or 2 Trays

Output Capacity 250 sheels (internal tray) Piain, Recycled, Colored, Letterhead, Preprinted, Bond, Card Stock, Prepunched, Paper Types

Special, Thick*, OHP (Transparency)* Envelopes*, Label Stock*

Auto Duplex 25% to 400% in 1% increments Preset Reduction and 65%, 78%, 93%, 128%, 155%

Enlargement Ratios Dimensions (WxDxH) 19.0° x 17.7° x 18.1° (476 mm x 450 mm

x 451 mm) — Includes ARDF 57.3 lbs./ 26 kg. 120V, 60Hz, 8A Weight Power Requirements **Power Consumption**

120V, 60H2, BA
Less than 1,1 KW (max.)
Sleep Mode, 2.8 W (MP 301SPF)
MP 301SPF - 1.507 KWn/week**
Document Server*, Image Rotation, Auto
Off Timer, Contbine Copy, Dectronic Sort,
Energy Saver Timer, Photo Mode, Series Standard Features

Copy. Job Programs (25), User Codes (8 digits, 1,000 Personal Codes)

Bypass Tray only. 'HOD option regulad.'

"Typical electric consumption by ENERGY STAR program

Printer

RM7035C - 533 MHz Standard: 1 GB RAM Optional: 128 GB HDD CPU Memory Capacity Hard Disk Orive Page Description Standard: PCL5e/6, Genuine Adobe* Languages Maximum Print Resolution

600 x 600 dol Standard Interfaces

Einernet (RU-45 network port : 10Base-T/ 100Base-TX), USB2.0 Type A and B IEEE1284, Wirelass LAN (IEEE802.11a/b/g), Giga Ethernet (1000BASE-T), Bluetooth Optional Interfaces TCP/IP (IPv4, IPv6), IPX/SPX (avalable with Netware option) Network Protocols

Fonts for PCL 5e/6 45 Roman fonts 136 Roman fonts
Windows XP/Server 2003/Vista/Server 2008/7; Novel Netware 6.5; UNIX Fiters Fonts for PS3 Network Operating Systems

for Sun Solaris 2.67/8/9/10; HP-UX 10:x/11:x/11lv2/11lv3; Red Hat Linux Enterprise V4, V5, V6; SCO OpenServer 5.0.6/5.0,7/6.0, ISM AIX Version 5.3, 6.1, 7.1; SAP R/3, 3.x or later, mySAP, ERP2004 or later; Mac OSX 10.2 or later, Ctrist Metaframe XP/ Presentation Server 4, 5/XerApp 5.0, 6.0 SmartDeviceMonitor for Admin and Client,

Utitities Web SmartDeviceMonitor, Web image Monitor Media Direct Print (Print from USB/SD)*, Other Printer Features

Mobile Driver, Bonjour Support. Classification Code, Mail to Print', PDF Direct Print, Sample/Hold/Stored/Locked Print', Store and Print', Windows Active Directory Support, DONS Support, WSPrinter, PCL resident font adoption, Tray-Parameter Change from WebimageMontor, XPS Support

HDD option required

Scanner Scanning Speed

31 ipm @ 300 dpi BAV (LT) 21 ipm @ 300 dpi Full-Color (LT) 100 to 600 dpi Scanning Resolution 100 to 600 op: Main: 8.5" (216 mm) Sub: 14.02" (356 mm) BAY: MH (defaul), MR, MMR, JBIG2 Scan Area

Compression Method Scan Mode

BAY: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full-Color, Text/Photo, Glossy Photo, Glossy Photo, Grayscale Full-Color, Text/Photo, Glossy Photo,

Grayscale Standard Interfaces Ethernet 10BASE-T/100BASE-TX Optional Interfaces

Emerie 108ASE-17/00HASE-1X
Wirdess LAN (IEEE 802.1 HarVig), Gigabit
Einernet (100GBASE-T)
Fre Formats: Single/Multi Page TIFF,
Single/Multi Page PDF, Single/Multi Page
High Compression PDF and Single/Multi
Page PDF/AS Single Page JPFG
Scan-to-USB/SD, Scan-to-Email (POP,

Scan Modes Supported SMTP, TCP/PP); Scan-to-Folder (SMB/ FTP/NCP); Network TWAIN Scanning; WSDScanner for Vista

Standard Features

PDF Encryption, Previow Before Transmission (TX Preview), Drop Out Color Send, Simultaneous Pax and Scan, Scan-to-ErnaVSMB/FTP/URL/NCP* LOAP Support, TWAIN Scanning

beriupes notion CODH

Fax

пи-т (сслт) вз Type Circuit PSTN, PBX 200 x 100 dpl, 200 x 200 dpi Resolution Modern Speed 33.6K - 2,400 bps with Auto Faliback MH, MR, MMR, JBIG 2.4 seconds (Letter) Compression Method Scan Speed Transmission Speed Approx. 2 seconds/page (JBIG) 4 MB (approx. 320 pages)

Memory Memory Backup Oulck/Speed Dials Group Dials 200 (2,000 with HDD Option) 10 groups (max. 100 numbers per group with HDD option) User Function Key

wan hou opion)
3 keys
Detection of Mseplaced Documents,
Double Check Destination Address, Direct
SMTP, Simultaneous Fax and Scan, Fax
Forward to EmailFolder, Internet Fax
(f.37), IP Fax (f.38), LAN Fax, Paperlass
Fax, LDAP Support

berluper notiqo OCH'

Standard Features

Paper Feed Unit PB1040 (Option)

8.5° x 11° SEF, 8.6° x 14° SEF (A4/LT/LG) 16 - 24 lb. Bond (60 - 90 g/m²) 500 sheels x 1 or 2 Treys Paper Size Paper Weight Paper Capacity

Additional Options

AUDINION OPTIONS

HDD Option Type 301 (nobdes HDD overwrite and encryption),
Cabhet, Type FAC57, Cabhet, Type FAC58, IEEE1284 Interface
Board Type A, IEEE802.11a/g Interface Unit Type J, Gigabit Ethernet
Board Type A, Buetech Hardsoc Unit Type D, Wh Card Type U, File
Format Corwarter Type E, Browser Unit Type D, Wh Card for NetWare
Printing Type I, Unicode Font Package for SAP (1/10/100 License
Packs ava-labe), Handsel Type CS502, Optional Counter Interface
Unit Type A, Copy Data Security Unit Type F, ACK3400-U Key Board

Security

Quota Setting/Account Limit: SMTP over SSL: Hard Disk Data Cuota Setting/Account Limit; SMIP over SSL; Hard Disk Data Chewn'te Security; Authentication (Windows) DAP/Kerbenos/Basic/ User Code/802.1.x Wired); Encryption (Address Book/Authentication Password/SSL Communication/SMIA/E/Psect.ocked Print Password/HDD); Network Protocol (Pord) OvrOff; IP Tetering; Copy Data Security Unit; FIAM Based Security when HDD is not installed Only required with HOD option.

Some features may require additional cotions.







MP 301SPF with Optional PB1040 Paper Tray and FAC 58 Gabinet

MP 301SPF with Two Optional PB1040 Paper Trays and FAC 58 Cabinet



www.ricoh-usa.com

Cabinet

Econ Americas Corporation, File Oededs Rate, With Caldwell, N. 07005, 1-650-63-4-COH.

Ruch and the Rechilego is engitted to identify a Rechilego is engitted to the Rechilego is engitted in the Rechilego is engited in the Rechilego is















